## SPECIFICATIONS

## SKU 66908 16" 37cc

Engine	Туре	2 Stroke, air cooled	
	Rating	1.6 horsepower	
	Start	Recoil	
Compression		150 PSI	
Displacement		37.2 cc	
Sound Level		114 dB @ 3 ft.	
Fuel	Туре	90+octane unleaded gasoline/2-cycle oil	
	Fuel/Oil Ratio	40:1	
	Capacity	10.5 oz.	
Chain Oil	Туре	Chain & Bar Oil	
	Capacity	7 oz.	
Spark Plug	Туре	Bosch LD L8RTF or Champion RCJ-7Y	
	Gap	0.023" ~ 0.031"	
Speed	Idle	3,400 RPM	
	No Load	12,500 RPM	
Cutting Attachment	16" Oregon <sup>®</sup> Bar: Model # 6G 516480 91 Sprocket nose and Oregon <sup>®</sup> Chain: Anti-Kickback standard skip chain Pitch: 3/8" Gauge: 0.050" # of drive links: 57 Model #91P057X (Includes 5/32" dia. round file for sharpening)		

SKU 66909 18" 45cc

Engine	Туре	2 Stroke, air cooled	
	Rating	2.4 horsepower	
	Start	Recoil	
Compression		150 PSI	
Displacement		45 cc	
Sound Level		114 dB @ 3 ft.	
Fuel	Туре	90+octane unleaded gasoline/2-cycle oil	
	Fuel/Oil Ratio	40:1	
	Capacity	18.6 oz.	
Chain Oil	Туре	Chain & Bar Oil	
	Capacity	8.5 oz.	
Spark Plug	Туре	Bosch LD L8RTF or Champion RCJ-7Y	
	Gap	0.023" ~ 0.031"	
Speed	Idle	3,400 RPM	
	No Load	12,500 RPM	
Cutting Attachment		18" Oregon <sup>®</sup> Bar: Model # NG 516481 .325 Sprocket nose and Oregon <sup>®</sup> Chain: Anti-Kickback standard skip chain Pitch:.325" Gauge: 0.058" # of drive links: 72 Model #21BPX072X (Includes 3/16" dia. round file for sharpening)	

## UNPACKING

When unpacking, make sure that the item is intact and undamaged.

The emission control system for these Chain Saw's Engine is warranted for standards set by the U.S. Environmental Protection Agency. For warranty information, refer to the last pages of this manual.




Figure 2 - Model 66909 18" 45cc Chain Saw

REV 09j









PO# 34532-5199993 DEST: CACLOXIE DEC CIND:1-348 QTY: 1PCS CW: TRAC NW-5.2KG MEAN: 463.263.32CM MADE IN CHINA.

Anti-Vib

Syste



PO# 34532-5199993 DEST: CACLOXIE DEC CIND:1-348 QTY: 1PCS CW: TRAC NW-5.2KG MEAN: 463.263.32CM MADE IN CHINA.

Anti-Vib

Syste

## DANGER

Anti

and point and the set of the set

a can release. Extransi containe il pro, control reconcilio. Internetical reconcent the analic compression reconcent to mencal. Internetical reconcents. Inspectant Explore Tablemation

Easy TART-UP UIDE

0

BEFORE STARTING

 State C. O.S. Concept. B. BARD. Col. - State May - S. S. S. S. Schwarz, M. - State May - State and State - State - State and State - State 



